

AC Super Brush™

Clean wheel hubs with no manual input



Aquaclean



Aqua Clean's SuperBrush™ Wheel Hub Cleaner makes a difference

Thanks to efficient combination of powerful sprays and three rotating brushes, the SuperBrush removes carbon deposits, grease and rubber residue with an efficiency far superior to conventional wheel cleaners. It Cleans up to 40 wheel hubs in an 8-hour shift. The system uses environmentally friendly aqueous chemistry. The energy efficiency of the SuperBrush is also superior to its competitors.



Advantages at a glance:

• Cleans almost any wheel size.

• Excellent cleaning result thanks to dedicated spray and multiple brushes.

 Closed loop filtration and efficient grease separator extends bath life and save operating cost.

• Rinse water recycling saves water and energy (fresh water rinse also available).

- All Stainless Steel construction for long service life.
- Full insulation saves energy.
- Optional steam condenser saves energy and installation cost.













Aquaclean SuperBrush™ Technical data

Cleaning capacity Up to 40 complete wheels in 8 hours

Max. wheel hub dia 800 mm Max. wheel hub height 600 mm

Loading door Electrically driven with 2-hand safety control

Operator interface Simatic TouchScreen

Tank volumes Tank 1 800 I Tank 2 600 I

Level control Electronic sensors, automatic water fill

Dosage pump Included

Filtration system Strainer in both tanks, circulation filter in tank 1

Oil separation Pump type oil separator, 150 l/h

Electric system 400 VAC 50 Hz, other systems are optional

Connected load 40 kW

Aqua Clean is a trusted partner of leading aviation companies

Agusta Westland Helicopters

Airbus

Emirates Airline

Finnair

GE Aircraft Services

Lufthansa.

Messier Dowty

Messier Services

Patria Aviation

Rolls-Royce Aerospace

SAS

TAP



HEADQUARTERS

Yläportti 1 BC

02210 ESPOO FINLAND

Phone +358 9 887 0510

Fax +358 2 641 0394

Email aquaclean@aquaclean.fi

FACTORY

Hyväntuulentie 7 28200 PORI, FINLAND

Phone +358 9 887 051 20

www.aquaclean.fi

